



# TIMKEN BEARING CORP.of CANADA LTD.



2MMV9112HXVVDULFS637 Bearing 2D drawings and 3D CAD models

2.362 Inch | 60 Millimeter x 3.74 Inch | 95 Millimeter x 1.417 Inch | 36 Millimeter TIMKEN 2MMV9112HXVVDULFS637 Precision Ball Bearings

Bearing No. 2MMV9112HXVVDULFS637

|                      |   |
|----------------------|---|
| Category             | Precision Ball Bearings   |
| Inventory            | 0.0   |
| Manufacturer Name    | TIMKEN  |
| Minimum Buy Quantity | N/A   |
| Weight               | 0.881   |
| EAN                  | 0087796241718   |
| Product Group        | B04270  |
| Enclosure            | 2 Seals   |
| Precision Class      | ABEC 7   ISO P4   |
| Material - Ball      | Steel   |
| Number of Bearings   | 2 (1 Pair)  |
| Contact Angle        | 15 Degree   |
| Preload              | Light   |
| Raceway Style        | 1 Rib Inner Ring and Outer Ring                                       |
| Cage Material        | Phenolic  |
| Rolling Element      | Ball Bearing  |
| Enclosure Type       | Non Contact Seal  |
| Mounting Arrangement | Duplex-Universal  |
| Flush Ground         | Yes   |
| Inch - Metric        | Metric  |
| Other Features       | Single Row   Angular Contact   Super High Precision   High Speed Seal |
| Long Description     | 60MM Bore; 95MM   |



## TIMKEN BEARING CORP.of CANADA LTD.

|                          |   |
|--------------------------|---|
|                          | Outside Diameter; 36MM<br>Width; 2 Seals Enclosure;<br>ABEC 7   ISO P4 Precision;<br>Steel Ball Material; 2 (1 Pair)<br>Bearings; 15 Degree Contact<br>Angle; Phenolic Cage<br>Material; 1 Rib Inner Ring |
| Category                 | Precision Ball Bearings   |
| UNSPSC                   | 31171531  |
| Harmonized Tariff Code   | 8482.10.50.28   |
| Noun                     | Bearing   |
| Keyword String           | Angular Contact Ball  |
| Manufacturer URL         | <a href="http://www.timken.com">http://www.timken.com</a>   |
| Manufacturer Item Number | 2MMV9112HXVVDULFS<br>637  |
| Weight / LBS             | 1.94  |
| d                        | 2.362 Inch   60 Millimeter  |
| D                        | 3.74 Inch   95 Millimeter   |
| B                        | 1.417 Inch   36 Millimeter  |